

 ANALYTICAL TEST RESULTS

Batch: PB-2026-RET-0067

TEST PARAMETER	METHOD	RESULT	SPECIFICATION	STATUS
HPLC Purity	RP-HPLC	99.2%	≥99.0%	✓ PASS
Molecular Weight (MS)	ESI-MS	4731.4 Da	4731.39 ± 0.5 Da	✓ PASS
Amino Acid Analysis	AAA	Conforms	Conforms to sequence	✓ PASS
Endotoxin (LAL)	LAL	0.35 EU/mg	< 1.0 EU/mg	✓ PASS
Residual Solvents	Ph. Eur.	< ICH Q3C limits	ICH Q3C Class 2	✓ PASS
Water Content (KF)	Karl Fischer	5.0%	≤ 8.0%	✓ PASS
Optical Rotation	Ph. Eur.	-29.8°	-27° to -33°	✓ PASS
Peptide Content (AAA)	Ph. Eur.	96.5%	≥95.0%	✓ PASS

8

Tests Passed

8

Total Tests

100%

Pass Rate

✓

BATCH RELEASED — All tests conform to specifications

Approved by QP: Dr. Amelia R. Foster · Apr 10, 2026

Section: Full Test Results

Issued: Apr 10, 2026 · Confidential & Proprietary

Page 6